RECEIVED CENTRAL FAX CENTER JUN 2 7 2006

Doc Code: AP.PRE.REO

From-MARTIN&FERRAROLLP

Approved for use through xx/xx/200x, CMB 0651-00xx
U.S. Patent and Trademark Other U.S. OSTAGOTA TO CMB 0651-00xx

		content and trademark Chick; U.S. DEPARTMENT OF COMMERCI content of information unless it displays a valid OMB control number	
PRE-APPEAL BRIEF REQUEST FOR REVIEW		Docket Number (Optional)	
		102.0010-01000	
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail	Application Number Filed		Filed
	08/480	461	June 7, 1995
Patents, P.O. Box 1450, Alexandria, VA 22313-1460* [37 CFR 1.8(a)]	***************************************		
on	First Named Inventor Gary K. Michelson		
Signature			
	Art Unit		Examiner
Typed or printed name	3764		Michael Brown
	<u> </u>		
his request is being filed with a notice of appeal.			
The review is requested for the reason(s) stated on the atta Note: No more than five (5) pages may be provided	ched sheel(s 1.).	•
am the		1	
Applicant/inventor.		////	teun
assignee of record of the entire interest.	5		Signature
See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)	_(_		eo F. Ferraro
		Typed	or printed name
			- Pilito liziko
		310	-286-9800
d atterness or proper of account	·		-286-9800
attornous or proper of assessed	.· <u> </u>	Yelop	-286-9800 hone number
attorney or agent of record. Registration number 37,129 attorney or agent acting under 37 CFR 1.34.		Yelop	-286-9800 hone number ne 27, 2008
Attorney or agent of record, Registration number 37,129	·	Yelop	-286-9800 hone number

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.8. This collection is estimated to take 12 minutes to complete, including eathering, preparing, and submitting the completed application form to the USPTO. Three will vary depending upon the individual case, and comments on the amount of time you require to complete this form end/or suggestions for reducing this burden, should be sent to the Crief Information Office, U.S. Potent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Mail Step AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-0199 and select option 2.

RESPONSE UNDER 37 C.F.R. 1.116 EXPEDITED PROCEDURE **EXAMINING GROUP 3764**

PATENT Attorney Docket No. 102.0010-01000 Customer No. 22882

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	•	CENTRAL FAX CENTER
Gary K. Michelson Serial No.: 08/480,461	Confirmation No.: 9274	JUN 2 7 2006
Filed: June 7, 1995 For: INSTRUMENTATION FOR THE	Group Art Unit: 3764	2.7.233
SURGICAL CORRECTION OF HUMAN) THORACIC AND LUMBAR SPINAL DISEASE FROM THE LATERAL ASPECT OF THE SPINE	Examiner: Michael Brown	
Manage (

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

PRE-APPEAL BRIEF REQUEST FOR REVIEW

In reply to the Final Rejection dated December 27, 2005, and further to Applicant's Reply to Office Action dated April 5, 2006 (the "Reply"), Applicant submits the following remarks for consideration by the Members of the pre-appeal brief conference.

I. Brief Background

The application includes eleven independent claims generally drawn to instruments for use in spinal surgery, of which two have been withdrawn and five have been allowed. Independent claims 95, 102, 108, and 139 stand rejected. In response to the Examiner's final rejection mailed December 27, 2005, Applicant submitted the Reply traversing the Examiner's rejections under 35 U.S.C. §§ 102(b) and 103(a). The Examiner has yet to mail an Advisory Action addressing Applicant's response.

II. Clear Errors or Omissions

(1) The Examiner's objection to claims 186, 187, 194, 195, 200, 204, and 208; rejection of claims 181-185, 188-193, 196-199, 201-203, 205, and 206 under 35 U.S.C.

Pre-appeal Brief Request 6-27-06 (3).doc

Application No. 10/638,023
Pre-Appeal Brief Request For Review dated June 27, 2006
Reply to Final Office Action of December 27, 2005

- § 102(b) as being anticipated by U.S. Patent No. 4,878,915 to Brantigan; and rejection of claim 207 under 35 U.S.C. § 103(a) as being unpatentable over Brantigan in view of U.S. Patent No. 4,772,286 to Goble et al. are erroneous because dependent claims 181-208 depend from allowed independent claim 131, or claims dependent therefrom and thus should be allowed. (See Reply, page 1, paragraph 3).
- (2) The Examiner's rejection of claims 95-97, 99-103, and 106 under 35 U.S.C. § 102(b) as being anticipated by U.S. Patent No. 4,545,374 to Jacobson is erroneous because:
- (a) the anchor wires 33 of Jacobson do not have a portion adapted to bear against each of the endplates of the adjacent vertebral bodies as recited in independent claims 95 and 102 (see Reply, page 2, paragraph 2);
- (b) the anchor wires 33 of Jacobson do not have a length extending from the body of the cannula that is greater than the depth of the spinal disc intermediate the adjacent vertebral bodies as recited in claims 95 and 102 (see Reply, page 2, paragraph 2); and
- (c) the device of Jacobson is a cannula and not a spinal distractor "used to distract a portion of the spine" as contended by the Examiner (see Reply, page 2, paragraph 3).
- (3) The Examiner's rejection of claims 95-101, 108-113, 116-121, 124-127, 129, 130, 132, 135, 136, 139, 209-213, 216-221, 224-233, 236, and 241 under 35 U.S.C. § 102(b) as being anticipated by Brantigan is erroneous because:
- (a) the teeth or prongs 23 of Brantigan do not have a portion adapted to bear against each of the endplates of the adjacent vertebral bodies as recited in independent claims 95, 108, and 139 (see Reply, page 3, paragraph 1);
- (b) the teeth or prongs 23 of Brantigan do not have a length that is greater than the depth of the spinal disc intermediate the adjacent vertebral bodies as recited in claim 95, or a length that is greater than the depth of the disc space as recited in claim 108 (see Reply, page 3, paragraph 1); and

From-MARTIN&FERRAROLLP

Application No. 10/638,023 Pre-Appeal Brief Request For Review dated June 27, 2006 Reply to Final Office Action of December 27, 2005

- (c) the drill guard of Brantigan does not have a separable disc penetrating extension as recited in independent claim 139 (see Reply, page 3, paragraph 2).
- (4) The Examiner's rejection of claims 137 and 234 under 35 U.S.C. § 103(a) as being unpatentable over Brantigan in view of Goble is erroneous because:
- (a) the disclosures of Brantigan and Goble are drawn to non-analogous fields of endeavor relative to each other and therefore cannot be combined to arrive at Applicant's claimed invention (see Reply, page 4, paragraph 3); and
- (b) since Goble fails to teach that the threads of the prosthetic ligament are equivalent to any threaded device taught by Brantigan, the prosthetic ligament taught by Goble cannot be cited as an obvious equivalent. (See Reply, paragraph bridging pages 4 and 5).

III. Conclusion

In view of the foregoing remarks, it is respectfully submitted that the claims are patentable. Therefore, it is requested that the Members of the Pre-Appeal Brief Conference reconsider the outstanding rejections in view of the preceding comments. Issuance of a timely Notice of Allowance of the claims is earnestly solicited.

To the extent any extension of time under 37 C.F.R. § 1.136 is required to obtain entry of this reply, such extension is hereby respectfully requested. If there are any fees due under 37 C.F.R. §§ 1.16 or 1.17 which are not enclosed herewith, including any fees required for an extension of time under 37 C.F.R. § 1.136, please charge such fees to our Deposit Account No. 50-3726.

> Respectfully submitted. MARTIN & FERRARO, LLP

> > medeo F. Ferraro Registration No. 37,129

Dated: June 27, 2006

1557 Lake O'Pines Street, NE

Telephone: (330) 877-0700 Facsimile: (330) 877-2030

Hartville, Ohio 44632

-3-